

Product Name: Treflan* E.C. Herbicide**Issue Date:** 2012.05.14

Dow AgroSciences Canada Inc. encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name

Treflan* E.C. Herbicide

COMPANY IDENTIFICATION

Dow AgroSciences Canada Inc.
A Subsidiary of The Dow Chemical Company
Suite 2100, 450 1st Street SW,
Calgary, AB T2P 5H1
Canada

For MSDS updates and Product Information: 800-667-3852**Prepared By:** Prepared for use in Canada by EH&S, Hazard Communications.
Revision 2012.05.14**Customer Information Number:** 800-667-3852
solutions@dow.com**EMERGENCY TELEPHONE NUMBER****24-Hour Emergency Contact:** 613-996-6666**Local Emergency Contact:** 613-996-6666

2. Hazards Identification

Emergency Overview**Color:** Orange**Physical State:** Liquid**Odor:** Solvent**Hazards of product:**

DANGER! May cause allergic skin reaction. May cause eye irritation. May cause skin irritation. Aspiration hazard. Can enter lungs and cause damage. Isolate area. Stay out of low areas. Suspect cancer hazard. May cause cancer.

Potential Health Effects

Eye Contact: May cause slight eye irritation. May cause slight corneal injury. Vapor may cause eye irritation experienced as mild discomfort and redness.

Skin Contact: Brief contact may cause slight skin irritation with local redness. Prolonged contact may cause skin irritation with local redness. May cause drying and flaking of the skin.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Skin Sensitization: For the active ingredient(s): Skin contact may cause an allergic skin reaction.

Inhalation: No adverse effects are anticipated from single exposure to mist.

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

Aspiration hazard: Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.

Effects of Repeated Exposure: For the active ingredient(s): In animals, effects have been reported on the following organs: Liver. Kidney. Blood. For the solvent(s): In animals, effects have been reported on the following organs: Lung. Gastrointestinal tract. Thyroid. Urinary tract. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. For the major component(s): Naphthalene. Observations in animals include: Respiratory effects. Cataracts and other eye effects have been reported in humans repeatedly exposed to naphthalene vapor or dust. Ingestion of naphthalene by humans has caused hemolytic anemia. Excessive exposure may cause hemolysis, thereby impairing the blood's ability to transport oxygen.

Cancer Information: For the active ingredient(s): A low incidence of urinary tract tumors was seen in only 1 of 5 chronic studies in rats with trifluralin. Trifluralin is not anticipated to be a carcinogenic risk to man. For the major component(s): Naphthalene. Has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative.

Birth Defects/Developmental Effects: For the active ingredient(s): Trifluralin. Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

3. Composition/information on ingredients

Component	CAS #	Amount W/W
Trifluralin	1582-09-8	43.0 %
Naphthalene	91-20-3	7.0 %
Balance	Not available	50.0 %

Amounts are presented as percentages by weight.

4. First-aid measures

Description of first aid measures

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

Skin Contact: Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury. The decision of whether to induce vomiting or not should be made by a physician. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment. Skin contact may aggravate preexisting dermatitis.

5. Fire Fighting Measures**Suitable extinguishing media**

Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Extinguishing Media to Avoid: Do not use direct water stream. May spread fire.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Fluorinated hydrocarbons. Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Dense smoke is produced when product burns.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

See Section 9 for related Physical Properties

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Keep personnel out of low areas. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance.

7. Handling and Storage

Handling

General Handling: Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not swallow. Keep out of reach of children. Avoid breathing vapor or mist. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Storage

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Type	Value
Naphthalene	CAD AB OEL	TWA	52 mg/m ³ 10 ppm SKIN
	CAD AB OEL	STEL	79 mg/m ³ 15 ppm SKIN
	CAD BC OEL	TWA	10 ppm SKIN
	CAD BC OEL	STEL	15 ppm SKIN
	CAD ON OEL	TWAEV	52 mg/m ³ 10 ppm
	CAD ON OEL	STEV	78 mg/m ³ 15 ppm
	ACGIH	TWA	10 ppm SKIN
	ACGIH	STEL	15 ppm SKIN
	OEL (QUE)	TWA	52 mg/m ³ 10 ppm
	OEL (QUE)	STEL	79 mg/m ³ 15 ppm

Consult local authorities for recommended exposure limits.

It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposures should be considered.

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material including mucous membranes and the eyes either by contact with vapors or by direct skin contact.

Personal Protection

Eye/Face Protection: Use chemical goggles. If exposure causes eye discomfort, use a full-face respirator.

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Chlorinated polyethylene. Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Avoid gloves made of: Polyvinyl alcohol ("PVA"). NOTICE:

The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Engineering Controls

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Appearance

Physical State	Liquid
Color	Orange
Odor	Solvent
pH	5.0 <i>Literature</i> (aqueous 50/50)
Melting Point	No test data available
Freezing Point	No test data available
Boiling Point (760 mmHg)	232 - 275 °C <i>Literature</i> Solvent
Flash Point - Closed Cup	99 °C <i>Pensky-Martens Closed Cup ASTM D 93</i>
Flammable Limits In Air	Lower: 1.8 %(V) <i>Estimated.</i> Solvent Upper: 11.8 %(V) <i>Estimated.</i> Solvent
Vapor Pressure	< 1 hPa @ 20 °C <i>Literature</i> Solvent
Vapor Density (air = 1)	4.7 <i>Literature</i> (solvent, relative to air)
Specific Gravity (H₂O = 1)	1.117 <i>Literature</i>
Solubility in water (by weight)	emulsifies in water
Autoignition Temperature	No test data available
Decomposition Temperature	No test data available
Liquid Density	1.117 g/cm ³ <i>Literature</i>

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Unstable at elevated temperatures.

Possibility of hazardous reactions

Polymerization will not occur.

Conditions to Avoid: Exposure to elevated temperatures can cause product to decompose.

Generation of gas during decomposition can cause pressure in closed systems. Pressure build-up can be rapid. Avoid static discharge.

Incompatible Materials: Avoid contact with: Oxidizers.

Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Fluorinated hydrocarbons. Hydrogen fluoride. Nitrogen oxides. Toxic flammable gases can be released during decomposition.

11. Toxicological Information

Acute Toxicity**Ingestion**

LD50, rat, male > 5,000 mg/kg

LD50, rat, female 4,013 mg/kg

Dermal

LD50, rabbit, male and female > 2,000 mg/kg

Inhalation

LC50, 4 h, Aerosol, rat, male and female > 7.74 mg/l

Eye damage/eye irritation

May cause slight eye irritation. May cause slight corneal injury. Vapor may cause eye irritation experienced as mild discomfort and redness.

Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness. Prolonged contact may cause skin irritation with local redness. May cause drying and flaking of the skin.

Sensitization**Skin**

For the active ingredient(s): Skin contact may cause an allergic skin reaction.

Repeated Dose Toxicity

For the active ingredient(s): In animals, effects have been reported on the following organs: Liver. Kidney. Blood. For the solvent(s): In animals, effects have been reported on the following organs: Lung. Gastrointestinal tract. Thyroid. Urinary tract. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. For the major component(s): Naphthalene. Observations in animals include: Respiratory effects. Cataracts and other eye effects have been reported in humans repeatedly exposed to naphthalene vapor or dust. Ingestion of naphthalene by humans has caused hemolytic anemia. Excessive exposure may cause hemolysis, thereby impairing the blood's ability to transport oxygen.

Chronic Toxicity and Carcinogenicity

For the active ingredient(s): A low incidence of urinary tract tumors was seen in only 1 of 5 chronic studies in rats with trifluralin. Trifluralin is not anticipated to be a carcinogenic risk to man. For the major component(s): Naphthalene. Has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative.

Carcinogenicity Classifications:

Component	List	Classification
Naphthalene	IARC	Possibly carcinogenic to humans.; 2B

Developmental Toxicity

For the active ingredient(s): Trifluralin. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. For the active ingredient(s): Trifluralin. For the solvent(s): For the major component(s): Did not cause birth defects in laboratory animals.

Reproductive Toxicity

For the active ingredient(s): Trifluralin. In animal studies, did not interfere with reproduction.

Genetic Toxicology

For the active ingredient(s): Trifluralin. In vitro genetic toxicity studies were predominantly negative. For the solvent(s): In vitro genetic toxicity studies were negative. For the major component(s): In vitro genetic toxicity studies were negative in some cases and positive in other cases. For the active ingredient(s): Trifluralin. Animal genetic toxicity studies were predominantly negative. For the solvent(s): Animal genetic toxicity studies were negative.

12. Ecological Information

Toxicity

Data for Component: **Trifluralin**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Fish Acute & Prolonged Toxicity

LC50, Lepomis macrochirus (Bluegill sunfish), 96 h: 0.0084 - 0.40 mg/l

Aquatic Invertebrate Acute Toxicity

EC50, Daphnia magna (Water flea), 96 h: 0.56 mg/l

EC50, mussel Mytilus edulis, static test, 48 h: 0.096 mg/l

Aquatic Plant Toxicity

ErC50, Pseudokirchneriella subcapitata (green algae), 5 d: 0.67 mg/l

EbC50, diatom Navicula sp., biomass growth inhibition, 5 d: 0.015 mg/l

Toxicity to Micro-organisms

EC50; activated sludge, 3 h: > 100 mg/l

Fish Chronic Toxicity Value (ChV)

Oncorhynchus mykiss (rainbow trout), static test, 48 d, growth, NOEC:0.00114 mg/l, LOEC:0.00218 mg/l

Aquatic Invertebrates Chronic Toxicity Value

Daphnia magna (Water flea), semi-static test, 21 d, growth, NOEC: 0.0507 mg/l

Toxicity to Above Ground Organisms

oral LD50, Colinus virginianus (Bobwhite quail): > 2000 mg/kg bw/day

dietary LC50, Colinus virginianus (Bobwhite quail): > 5000 mg/kg diet.

oral LD50, Apis mellifera (bees): > 100 micrograms/bee

contact LD50, Apis mellifera (bees): > 100 micrograms/bee

Toxicity to Soil Dwelling Organisms

LC50, Eisenia fetida (earthworms), 14 d: > 1,000 mg/kg

Data for Component: **Naphthalene**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, Oncorhynchus mykiss (rainbow trout), 96 h: 0.11 mg/l

Aquatic Invertebrate Acute Toxicity

EC50, Daphnia magna (Water flea), static test, 48 h, immobilization: 1.6 - 24.1 mg/l

Persistence and Degradability

Data for Component: **Trifluralin**

Material is expected to biodegrade only very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

Stability in Water (1/2-life):

> 1 y; pH 3 - 9; Measured

0.19 - 3.08 h; Measured

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
5 %	28 d	OECD 301B Test	fail

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
2.4004E-11 cm ³ /s	5.347 h	Estimated.

Data for Component: **Naphthalene**

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method	
2.16E-11 cm ³ /s	5.9 h	Estimated.	
Biological oxygen demand (BOD):			
BOD 5	BOD 10	BOD 20	BOD 28
57.000 %	71.000 %	71.000 %	
Theoretical Oxygen Demand: 3.00 mg/mg			

Bioaccumulative potentialData for Component: Trifluralin

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 5.07 Measured

Bioconcentration Factor (BCF): 2,280; Oncorhynchus mykiss (rainbow trout); Measured

Data for Component: Naphthalene

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 3.3 Measured

Bioconcentration Factor (BCF): 40 - 300; Fish; Measured

Mobility in soilData for Component: Trifluralin

Mobility in soil: Potential for mobility in soil is slight (Koc between 2000 and 5000).

Partition coefficient, soil organic carbon/water (Koc): 4,400 - 31,000 Measured

Henry's Law Constant (H): 1.03E-04 atm*m³/mole; 25 °C Estimated.

Distribution in Environment: Mackay Level 1 Fugacity Model:

Air	Water.	Biota	Soil	Sediment
1.56 %	0.49 %	< 0.01 %	95.74 %	2.12 %

Data for Component: Naphthalene

Mobility in soil: Potential for mobility in soil is medium (Koc between 150 and 500).

Partition coefficient, soil organic carbon/water (Koc): 240 - 1,300 Measured

Henry's Law Constant (H): 2.92E-04 - 5.53E-04 atm*m³/mole; 25 °C Measured

Distribution in Environment: Mackay Level 1 Fugacity Model:

Air	Water.	Biota	Soil	Sediment
74 %	8.5 %	< 0.01 %	18 %	0.39 %

13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information

TDG Small container
NOT REGULATED

TDG Large container
NOT REGULATED

IMDG**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S**Technical Name:** TRIFLURALIN, NAPHTHALENE**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III**EMS Number:** F-A,S-F**ICAO/IATA****Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S**Technical Name:** TRIFLURALIN, NAPHTHALENE**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III**Cargo Packing Instruction:** 964**Passenger Packing Instruction:** 964**15. Regulatory Information****CEPA - Domestic Substances List (DSL)**

All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

Hazardous Products Act Information: CPR Compliance

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Hazardous Products Act Information: WHMIS Classification

This product is exempt under WHMIS.

Pest Control Products Act Registration number: 23933**National Fire Code of Canada**

Not applicable

16. Other Information**Hazard Rating System**

NFPA	Health	Fire	Reactivity
	2	1	1

Recommended Uses and Restrictions**Identified uses**

Product use: End use herbicide product

Revision

Identification Number: 1000831 / 1023 / Issue Date 2012.05.14 / Version: 1.0

DAS Code: GF-1239

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
VOL/VOL	Volume/Volume

Dow AgroSciences Canada Inc. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.