

# ECONOMICAL CHOICE WITH EXCELLENT PERFORMANCE

## GROUP 1 HERBICIDE STRONG ON FOXTAIL BARLEY, BROMES AND VOLUNTEER CORN

Yuma GL Liquid EC Herbicide is a selective, systemic post emergence herbicide for control of both annual and perennial grasses in canola, dry common beans, flax, lentils, peas, soybeans and other crops.




### KEY BENEFITS

- Consistent control of winter annual and perennial grasses like foxtail barley and bromes
- For high performing grass control, add Yuma GL to Liberty in LibertyLink canola or to glyphosate in Roundup Ready canola and Roundup Ready soybeans
- Effective volunteer corn control
- Reliable control of wild oats
- Excellent crop safety on all labeled crops
- Rainfast in 1 hour
- Tank mix compatible

### WHY YUMA

## % Control Foxtail Barley, Japanese Brome, Downy Brome

2014-2015 3rd Party Research Trials



- Yuma @ 200ml/ac + COC
- Yuma @ 200ml/ac + MSO
- Assure II @ 200ml/ac

**TECHNICAL INFORMATION:**

<b>Active Ingredient</b>	Quizalofop - Group 1
<b>Tank Mix Information</b>	Ares, Basagran, Glyphosate, Liberty, Muster, Odyssey, Pinnacle, Pursuit, Refine, Solo, Viper
<b>Surfactant</b>	XA Oil , Merge, Sure-mix, MSO (0.5 L per 100 L spray solution)
<b>Package Size</b>	2 x 8 L jugs or 1000 L tote

**REGISTERED CROPS**

Carinata, Camelina, Canola (LL, RR, or Clearfield), Chickpeas, Creeping red fescue, Dry beans, Faba beans, Flax, Mustard, Lentils, Peas, Red and alsike clover, Seed alfalfa, Seedling legumes for seed production, Soybeans, Sugarbeets

<b>Rate</b>	<b>Weeds Controlled</b>	<b>Leaf Stage</b>
0.38 L/ha (150 ml/ac)	green foxtail volunteer barley volunteer corn volunteer oats volunteer wheat wild oats	2 leaf to early tillering 2 leaf to early tillering 2 – 6 leaf † 2 leaf to early tillering 2 leaf to early tillering 1 – 5 leaf without tillers
0.5 L/ha (200 ml/ac)	barnyard grass wild oats yellow foxtail foxtail barley downy brome Japanese brome Quackgrass (S)	2 leaf to early tillering † 1 – 5 leaf to early tillering (up to two tillers) 2 leaf to early tillering 3 leaf to 4 leaf + tillers 2-5 leaf 2-5 leaf 2-6 leaf
0.75 L/ha (300 ml/ac)	Quackgrass (C)	2-6 leaf

† Best results on volunteer/wild oats if application is made before tillering begins  
MSO or Merge surfactant recommended for wild oats.



For more information on Yuma GL Herbicide please contact your local Gowan Canada Sales Representative or visit us online at [www.gowancanada.com](http://www.gowancanada.com)

Yuma® is a registered trademark of Gowan Company, L.L.C. All other products mentioned are trademarks of their respective companies. ALWAYS READ AND FOLLOW LABEL DIRECTIONS.