



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Registrant: Canyon Group L.L.C
P.O. Box 5569
Yuma (AZ) 85366-5569

Formulator: Gowan Company
P.O. Box 5569
Yuma, Arizona 85366-5569
(800) 883-1844

For 24-Hour Emergency Assistance (Spill, Leak, Fire, or Exposure), Call CHEMTREC^U: **Inside the U.S.:** (800) 424-9300
Outside the U.S.: (703) 527-3887

For MEDICAL Emergency: (888) 478-0798

Product: Sandea[®] Herbicide
Signal Word: Caution
Active Ingredient: *Halosulfuron present as methyl ester (72.60%)
Chemical Name: Methyl 3-chloro-5-(4,6-dimethoxypyrimidin-2-ylcarbamoylsulfamoyl)-1-methylpyrazole-4-carboxylate (IUPAC)
Chemical Class: Sulfonyleurea

PCP Registration No.: 31209
CAS No.: 100784-20-1

2. Hazards Identification

Physical Properties

Appearance: Beige granules

Odor: Scorched vanilla odor

Symptoms of Acute Exposure

Not available

Medical Conditions Likely to be Aggravated by Exposure

Sandea herbicide contains less than 1.0% sodium sulfite. In sulfite-sensitive individuals, skin reactions have been reported following dermal exposures, and respiratory reactions have been reported on ingestion of food, or on ingestion or inhalation of medications which contain related sulfiting agents (bisulfites or metabisulfites) as preservatives. Individuals with asthma may be more prone to these types of reactions.

Primary Routes of Exposure

Inhalation and skin contact

Hazardous Decomposition Products

None known

Unusual Fire, Explosion, and Reactivity Hazards

None known

3. Composition/Information On Ingredients

INGREDIENT NAME	CAS No.	OSHA – PEL	ACGIH – TLV	NTP/IARC/OSHA CARCINOGEN
Halosulfuron present as methyl ester (72.6%)	100784-20-1	None	None	No
Silica, Amorphous Precipitated (<3.0%)	112926-00-8	6 mg/m ³ 8-hr TWA	10 mg/m ³ 8-hr TWA	No
Kaolin Clay (8-13%)	1332-58-7	15 mg/m ³ 8-hr TWA	10 mg/m ³ total dust 8-hr TWA	No

Only the identities of the active ingredient(s) and any *hazardous* inert ingredients are listed. Specific information on all of this product's ingredients can be obtained by the treating medical professional or spill emergency responder for the management of exposures, spills, or safety assessments.

4. First Aid Measures

IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have the person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT CALL TOLL FREE: 1-888-478-0798.

5. Fire Fighting Measures

Flash Point

This material is not combustible as tested by the Tag Closed Cup Test.

Auto Ignition Temperature

Not determined.

Appropriate Extinguishing Media

In case of fire, use water (flood with water), dry chemical, CO₂, or alcohol foam

Special Fire Fighting Procedures

Firefighters and others that may be exposed to vapors, mists, dusts, or products of combustion should wear full protective clothing and self-contained breathing apparatus. Equipment should be thoroughly cleaned after use.

Unusual Fire or Explosion Hazards

None known

6. Accidental Release Measures

In Case of Spills or Leaks

Keep unnecessary people away and isolate hazard area. Wear appropriate personal protective equipment described in Section 8. Sweep up spill, scoop or vacuum and remove. Flush residual spill area with water. Contain large spills with dikes and transfer the material to appropriate containers for reclamation or disposal. Absorb remaining material or small spills with an inert material and then place in a chemical waste container. Flush residual spill area with water. Refer to Section 13 for disposal information and Section 15 for reportable quantity information.

7. Handling and Storage

Handling

Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Storage

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Store under cool, dry conditions (below 48.9 °C or 120°F). Do not store under moist conditions.

8. Exposure Controls/Personal Protection

Personal Protective Equipment:

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants or coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS: When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

9. Physical and Chemical Properties

Appearance: Beige granules

Odor: Scorched vanilla

pH: 6.6 (1% solution)

Density: 0.656 gr/cm³ (41 lbs/cu ft)

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. Stability and Reactivity

Stability: This product should be stable for at least two years under normal conditions of warehouse storage. Store in a cool, well-ventilated place away from foodstuffs, reducing agents and acids.

Hazardous decomposition products: None known.

Hazardous polymerization: Will not occur.

Incompatibility with other materials: None.

Conditions to avoid: Store under cool, dry conditions (below 48.9 °C or 120°F). Do not store under moist conditions.

11. Toxicological Information

Oral LD₅₀ (Rat): 1287 mg/kg

Slightly toxic

Dermal LD₅₀ (Rat): >5,000 mg/kg

Practically nontoxic

Eye Irritation (Rabbit):

Moderately irritating

Skin Irritation (Rabbit):

Slightly irritating

Acute Inhalation (Rat, 4-hr): >5.7 mg/l

Practically nontoxic

Dermal Sensitization (Guinea Pig): Sandea is not considered a dermal sensitizer in guinea pigs.

Halosulfuron-methyl, the active herbicidal ingredient in Sandea herbicide, is considered to be practically nontoxic orally or by inhalation and no more than slightly toxic dermally. It is slightly irritating to eyes and essentially nonirritating to the skin. Halosulfuron-methyl did not produce skin allergy in the guinea pig.

Kaolin Clay (containing <1% crystalline silica)

Sandea herbicide contains up to 8-13% kaolin clay. Inhalation of excessive amounts of kaolin dust may produce coughing, sneezing and nasal irritation. Long-term overexposure to kaolin dust may cause respiratory difficulties, such as decreased lung capacity.

Silica, hydrated amorphous

Sandea herbicide contains less than 3% silica gel (amorphous silica). Inhalation of silica dust can cause drying of mucous membranes of the eyes, nose and throat (due to absorption of moisture and oils) which may result in irritation and occasional nose bleeds. Repeated exposure to silica gel has not been reported to have significant adverse health effects in workers. However, persons with breathing problems or lung disease may be at an increased risk. Laboratory studies in animals exposed by inhalation to silica gel have shown no adverse effects.

12. Ecological Information

Ecotoxicity data shown is for the active ingredient, halosulfuron-methyl.

48-hr EC50 Daphnia magna: >107 mg/L; practically nontoxic.
96-hr LC50 Bluegill sunfish: >118 mg/L; practically nontoxic.
96-hr LC50 Rainbow trout: >131 mg/L; practically nontoxic.
5-day EC50 Algae (Selenastrum capricornutum): 0.0041/L; very highly toxic.

13. Disposal Considerations

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state, or local procedures. Dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. This product should not be dumped, spilled, rinsed or washed into sewers or public waterways.

14. Transport Information

TDG Classification

Not regulated

DOT Classification

Not regulated

International Maritime Organization

Not regulated

International Civil Aviation Organization

Not regulated

15. Regulatory Information

SARA Title III Classification

Section 302/304:	Not applicable
Section 311/312:	Immediate (acute) health hazard Delayed (chronic) health hazard
Section 313 chemical(s):	Not applicable

Proposition 65

Not Applicable

CERCLA Reportable Quantity (RQ)

None

RCRA Classification

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

TSCA Status

Exempt from TSCA

DSL

Exempt from DSL

16. Other Information

NFPA Hazard Ratings

Health: 1
Flammability: 0
Reactivity: 0

0	Least
1	Slight
2	Moderate
3	High
4	Severe

Notice: The information and recommendations contained herein are provided in good faith and are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information herein.

Prepared By:

Gowan Company
(800) 883-1844

Sandea® is a registered trademark of Gowan Company, LLC

*Halosulfuron-methyl is manufactured by
Nissan Chemical Industries, Ltd.
Product is protected by
U.S. Patent No. 4,668,277